

**TRI GENERAL IMPROVEMENT DISTRICT  
WATER SERVICE RULES, REGULATIONS AND RATES**

Revised October 10, 2024

**TRI GENERAL IMPROVEMENT DISTRICT WATER SERVICE RULES,  
REGULATIONS AND RATES**

---

Table of Contents

ARTICLE 1. GENERAL PROVISIONS .....8

    1.1 Purpose.....8

    1.2 Enterprise.....8

    1.3 Separability.....8

    1.4 Words and Phrases.....8

ARTICLE 2. DEFINITIONS.....8

    2.1 Account Transfer.....8

    2.2 Additional Definitions/UPC.....8

    2.3 Applicant.....8

    2.4 Application.....8

    2.5 Billing Period.....8

    2.6 Board.....8

    2.7 Building.....8

    2.8 Capital Costs.....8

    2.9 Capital Outlays.....9

    2.10 Construction Water.....9

    2.11 Contractor.....9

    2.12 Cross Connection.....9

    2.13 Connection Charge.....9

    2.14 County.....9

    2.15 Cubic Foot.....9

    2.16 Customer.....9

    2.17 Date of Presentation.....9

    2.18 Delinquent.....9

    2.19 Developer.....9

|  |   |    |
|--|---|----|
| 2.20                                   | Development .....                           | 9  |
| 2.21                                   | Easement .....                              | 9  |
| 2.22                                   | Employee .....                              | 9  |
| 2.23                                   | Gallon .....                                | 9  |
| 2.24                                   | Idler .....                                 | 9  |
| 2.25                                   | Inspector .....                             | 10 |
| 2.26                                   | Inter-Connection.....                       | 10 |
| 2.27                                   | Law .....                                   | 10 |
| 2.28                                   | Living Unit .....                           | 10 |
| 2.29                                   | Main Classifications .....                  | 10 |
| 2.30                                   | Metered Service.....                        | 10 |
| 2.31                                   | Operation and Maintenance .....             | 10 |
| 2.32                                   | Owner .....                                 | 10 |
| 2.33                                   | Permanent Service.....                      | 10 |
| 2.34                                   | Permit .....                                | 10 |
| 2.35                                   | Person .....                                | 10 |
| 2.36                                   | Premises.....                               | 10 |
| 2.37                                   | Private Fire Protection .....               | 10 |
| 2.38                                   | Replacement.....                            | 11 |
| 2.39                                   | Rules.....                                  | 11 |
| 2.40                                   | Service Area .....                          | 11 |
| 2.41                                   | Service and Connection Classifications..... | 11 |
| 2.42                                   | Tenant .....                                | 12 |
| 2.43                                   | TRIGID .....                                | 12 |
| 2.44                                   | Water Meter .....                           | 12 |
| 2.45                                   | Will Serve .....                            | 12 |
| ARTICLE 3. CONDITIONS OF SERVICE ..... |   | 12 |
| 3.1                                    | Pressures.....                              | 12 |
| 3.2                                    | Interruption of Service.....                | 12 |
| 3.3                                    | Area Served.....                            | 12 |

|   |  |    |
|---|--|----|
| 3.4   | Main Required .....  | 12 |
| 3.5   | Property Not Adjacent to a Water Main .....  | 12 |
| 3.6   | Damage to Property.....  | 12 |
| 3.7   | Tampering with TRIGID Property.....  | 12 |
| 3.8   | Penalty for Violation .....  | 13 |
| 3.9   | Waste of Water.....  | 13 |
| 3.10  | Regulation of Water Usage.....   | 13 |
| 3.11  | Notices to Customers.....  | 13 |
| 3.12  | Notices from Customers .....   | 13 |
| 3.13  | Customer's Premises.....   | 13 |
| 3.14  | Special Conditions and Circumstances .....   | 13 |
| 3.15  | Effective Date.....  | 14 |
| ARTICLE 4. SCHEDULE OF RATES AND CHARGES .....    |  | 14 |
| 4.1   | General Metered Water Service.....   | 14 |
| 4.2   | Charges for Construction Water .....   | 14 |
| 4.3   | Connection Fees .....  | 15 |
| 4.4   | Build and Dedicate TRIGID System Facilities .....                                  | 15 |
| ARTICLE 5. OTHER CHARGES, FEES AND DEPOSITS ..... |  | 15 |
| 5.1   | Security Deposit for Service.....  | 15 |
| 5.2   | Charges for Disconnection, Reconnection, Account Transfer and Special Reading..... | 15 |
| 5.3   | Installation Fee .....   | 16 |
| 5.4   | Water Plan Checking and Inspection Fee .....                                       | 16 |
| 5.5   | Water Modeling Fee .....   | 16 |
| 5.6   | Relocation of Service Connection.....  | 16 |
| 5.7   | Increase in Size of Service Connections.....                                       | 16 |
| 5.8   | TRIGID Fire Hydrants Fire Fighting Use.....  | 16 |
| 5.9   | Private Use of TRIGID Fire Hydrants .....  | 16 |
| 5.10  | Public Agencies Exempted from Deposit Requirements .....                           | 17 |
| 5.11  | Discontinuance Charge .....  | 17 |
| 5.12  | Fee for Turn-off at Main .....   | 17 |

5.13 Delinquent Accounts.....17

5.14 Unauthorized Use of Private Fire Service .....17

5.15 Damage to TRIGID Property.....17

5.17 Photocopy Charges .....18

5.18 Reimbursement for District Costs Benefitting Individuals or Entities.....18

ARTICLE 6. BASIS FOR BILLING .....18

6.1 Monthly Billing.....18

6.2 Meter Readings.....18

ARTICLE 7. TIME AND MANNER OF PAYMENT .....18

7.1 Issuance of Bills.....18

7.2 Bills Due When Presented .....18

7.3 Delinquent Accounts.....18

7.4 Discontinuance of Service.....18

7.5 Represents Lien on Property .....18

7.6 Proration of Service Charges; Minimum Bill.....19

7.7 Failure to Receive a Bill.....19

7.8 Checks Not Honored by Bank .....19

7.9 Multiple Water Bills .....19

7.10 Estimated Bills and Non-operable Meters.....19

7.11 Billing Adjustments .....19

7.12 Disputed Bills .....19

ARTICLE 8. APPLICATION FOR SERVICE.....19

8.1 Application .....19

8.2 Existing Service Connection .....20

8.3 New Service .....20

8.4 Correct Information .....20

8.5 Rejection of Application.....20

8.6 Service Outside Service Area Boundary .....20

ARTICLE 9. SERVICE CONNECTIONS .....20

9.1 Size and Water Supply .....20

|             |   |    |
|-------------|---|----|
| 9.2         | Location .....  | 20 |
| 9.3         | Composition.....                                      | 20 |
| 9.4         | Ownership.....  | 20 |
| 9.6         | Combined Service .....                                | 21 |
| 9.7         | Temporary Service .....                               | 21 |
| 9.8         | Emergency Service.....                                | 21 |
| 9.9         | Non-Standard Service .....                            | 21 |
| 9.10        | Separate Service to Each Separate Ownership .....     | 21 |
| 9.11        | Installation of TRIGID Facilities by a Developer..... | 21 |
| 9.12        | Installation By TRIGID .....                          | 22 |
| 9.13        | Cross-Connections .....                               | 22 |
| 9.14        | Service Connection Restrictions .....                 | 22 |
| 9.15        | Relief Valves.....                                    | 22 |
| 9.16        | Back Flow Device .....                                | 22 |
| ARTICLE 10. | MAIN EXTENSION.....                                   | 22 |
| 10.1        | General Conditions .....                              | 22 |
| 10.2        | Standard Main Extensions. ....                        | 23 |
| 10.3        | Oversized Main Extensions.....                        | 24 |
| ARTICLE 11. | TERMINATION OF SERVICES .....                         | 24 |
| 11.1        | Customer Request for Termination of Service .....     | 25 |
| 11.2        | Termination of Service by TRIGID.....                 | 25 |
| 11.3        | Restoration of Service.....                           | 25 |
| 11.4        | Refusal to Serve. ....                                | 26 |
| ARTICLE 12. | CROSS CONNECTION CONTROL.....                         | 26 |
| 12.1        | Purpose .....   | 26 |
| 12.2        | Definitions.....                                      | 26 |
| 12.3        | Cross-connection protection requirements .....        | 28 |
| 12.4        | Backflow Prevention Assemblies .....                  | 29 |
| 12.5        | Administrative Procedures .....                       | 31 |
| 12.6        | Water Service Termination.....                        | 32 |

|  |   |    |
|--|---|----|
| 12.7   | Enforcement .....                           | 33 |
| 12.8   | Severability .....                          | 33 |
| ARTICLE 13. SERVICE AREAS.....                       |   | 34 |
| 13.1   | Intention .....                             | 34 |
| 13.2   | Wholesale Service.....                      | 34 |
| ARTICLE 14. DISPUTES, RELIEF, APPEALS, REVIEWS ..... |   | 34 |
| 14.1   | Relief on Application.....                  | 34 |
| 14.2   | Relief on Own Motion.....                   | 34 |
| 14.3   | Review by the Board .....                   | 34 |
| 14.4   | Adjustment of Complaints .....              | 34 |
| 14.5   | Ruling Final.....                           | 34 |
| 14.6   | Billing Disputes.....                       | 34 |
| 14.7   | Right to Arbitration .....                  | 34 |
| 14.9   | Claims and Timely Assertion of Claims ..... | 35 |
| 14.10  | Judgment on Final Award .....               | 35 |
| ARTICLE 15. WATER SERVICE AND WATER RESOURCES.....   |   | 35 |
| 15.1   | Customer Provision of Water Rights .....    | 35 |
| 15.2   | Will Serve Commitment.....                  | 35 |
| 15.3   | Nonpotable Water .....                      | 36 |

## ARTICLE 1. GENERAL PROVISIONS

- 1.1 Purpose. TRIGID has been created by Storey County under Nevada Revised Statutes Chapters 318 and 308 to own, maintain and operate community water and sewer systems to provide service to Customers in the service area, known as Tahoe-Reno Industrial Center, pursuant to Ordinance #171 and Resolution 00-85, both passed on August 8, 2000. TRIGID is not regulated as a public utility by the Nevada Public Utility Commission. TRIGID is a quasi-municipal entity functioning as a political subdivision of the State of Nevada.
- 1.2 Enterprise. TRIGID will furnish a system used for the provision of fire protection water as well as industrial, domestic and commercial water; and for the collection of domestic, commercial and industrial wastewater and septic tank effluent; including all parts of the enterprise, all appurtenances thereto, and land, easements, rights in land, contract rights and franchises.
- 1.3 Separability. If any section, subsection, sentence, clause or phrase of these Rules, Regulations and Charges or the application thereof to any person or circumstance is for any reason held to be unconstitutional or invalid, such decision shall not affect the validity of the remaining portions of these Rules, Regulations and Charges or the application of such provision to other persons or circumstances. The Board hereby declares that it would have promulgated these Rules or any section, subsection, sentence, clause or phrase hereof irrespective of the fact that any one or more sections, subsections, sentences, clauses or phrases may be declared to be unconstitutional.
- 1.4 Words and Phrases. For the purposes of these Rules, Regulations and Charges, all words used herein in the present tense shall include the future; all words in the plural number shall include the singular number; and all words in the singular number shall include the plural number.

## ARTICLE 2. DEFINITIONS

- 2.1 Account Transfer shall mean any change made to a billing account, including but not limited to new ownership or new tenancy.
- 2.2 Additional Definitions/UPC. For the purpose of this Rules, additional terms shall have the meanings indicated in Chapter 1 of the latest edition of the Uniform Plumbing Code as prepared by the International Association of Plumbing and Mechanical Officials. Except as expressly stated otherwise in these Rules, all provisions of the latest edition of the Uniform Plumbing Code are incorporated herein by reference.
- 2.3 Applicant shall mean the person, business or governmental agency making application for water service to a parcel within service area, including the TRI Owners Association.
- 2.4 Application shall be a written request for water service (as distinguished from an inquiry as to the availability of, or charges for, such service) and agreement by Customer to comply with these Rules.
- 2.5 Billing Period shall be the period for which a billing is made. It may be for an average month and need not coincide with the calendar month (i.e., may be billed on a cycle of 29 to 31 days).
- 2.6 Board shall mean the Board of Trustees of TRIGID.
- 2.7 Building shall mean any structure used for human habitation or a place of business, recreation or other purpose requiring water services.
- 2.8 Capital Costs shall mean costs of major rehabilitation, expansion or upgrading required as facilities reach the end of their useful life.



- 2.9 Capital Outlays shall mean expenditures which result in the acquisition of, or addition to, fixed or capital assets.
- 2.10 Construction Water shall mean water delivered through other than a standard service connection for construction purposes.
- 2.11 Contractor shall mean an individual, firm, corporation, partnership or association duly licensed by the State of Nevada to perform the type of work to be done under these Rules.
- 2.12 Cross Connection shall mean any actual or potential connection between TRIGID's distribution facilities and any source or system which may potentially cause contamination, pollution, or change in water quality by any and all causes.
- 2.13 Connection Charge shall mean a fee charged in order to compensate TRIGID for the capital costs of investment, maintenance and repair in water plant equipment and related facilities made by TRIGID. The charge is applied to all new users of water facilities in approximate proportion to their anticipated usage and is for the right of service in the system.
- 2.14 County shall mean the County of Storey, State of Nevada.
- 2.15 Cubic Foot is the volume of water which occupies one cubic foot. The cubic foot is equal to 7.481 gallons.
- 2.16 Customer shall mean the person in whose name service is rendered as evidenced by Customer's signature on the application or contract for that service, or in the absence of a signed instrument, by the receipt and payment of bills regularly issued in Customer's name regardless of the identity of the actual user of the service.
- 2.17 Date of Presentation shall be the date upon which a bill or notice is either postmarked or hand delivered to the Customer.
- 2.18 Delinquent shall mean an account that has not been paid by the 1<sup>st</sup> day of the calendar month following the due date of payment specified on the bill.
- 2.19 Developer shall mean any person engaged in or proposing development of property in the service area.
- 2.20 Development shall mean a parcel of property in the service area being improved and requiring water service, including but not limited to installation of service mains to and possibly on the property being improved.
- 2.21 Domestic Use shall mean potable water furnished or required for human health and sanitation, meaning water typically used for drinking, cooking, washing, bathing, showering, and other similar household uses of water; Domestic use may also include irrigation of xeriscape type landscaping required to meet the minimum standards of Article IV Section 4 of the Development Handbook for the Tahoe-Reno Industrial Center, Storey County, Nevada. Humidification is not an allowable domestic use.
- 2.22 Easement shall mean an acquired legal right for the specific use of land owned by others.
- 2.23 Employee shall mean any individual employed by TRIGID excluding independent contractors, consultants, and their employees.
- 2.24 Gallon is the volume of water which occupies 231 cubic inches.
- 2.25 Idler shall mean a length of pipe or spacer installed in lieu of a meter.

- 2.26 Inspector shall mean an individual designated to inspect facilities which are the subject of this Rules.
- 2.27 Inter-Connection shall mean any actual or potential connection to Customer piping which will provide water to property or permit use of water for purposes other than that for which a service connection was authorized.
- 2.28 Law is any statute, rule or regulation established by federal, state, County or municipal authorities.
- 2.29 Living Unit shall mean any residence, apartment, or other structure to be occupied for habitational purposes by a single person or family and requiring water service.
- 2.30 Main Classifications:
- A. Off-Site Main shall mean a main, regardless of size, which extends from the existing water system to a development but excluding onsite mains.
  - B. On-Site Mains shall mean those public mains which are installed specifically to provide service to developments, and generally located within the development's boundaries.
  - C. Public Mains or TRIGID Mains shall mean those mains which are owned, operated and maintained by TRIGID after completion and acceptance.
  - D. Private Mains shall mean all water mains not owned by TRIGID after completion.
- 2.31 Metered Service is a service for which charges are computed on the basis of measured quantities of water.
- 2.32 Operation and Maintenance shall mean those functions that result in expenditures during the useful life of the water system facilities for materials, labor, utilities and other items which are necessary for managing and maintaining the water system facilities to achieve the capacity and performance for which such facilities were designed and constructed. The term "operation and maintenance" includes replacement as defined in these Rules.
- 2.33 Owner shall mean a person who holds legal title to the property or who is under contract to purchase the property.
- 2.34 Permanent Service is a service which, in the opinion of TRIGID, is of a permanent and established character. The use of water may be continuous, intermittent, or seasonal in nature.
- 2.35 Permit shall mean any written authorization required pursuant to this or any other regulation of the service area for the installation or operation of any part of the water system within the service area.
- 2.36 Person shall mean any individual, firm, association, organization, partnership, trust, company, corporation or other entity, and any municipal, political, or governmental corporation, body, or agency, other than TRIGID.
- 2.37 Premises shall mean all of the real property and services to a single integrated activity operating under one name to one or more buildings, locations or services, provided: (a) such building, locations or services are to a single unit of property; or (b) such buildings, locations or services are on two or more units of property immediately adjoining, except for intervening highways, streets, alleys or waterways.
- 2.38 Private Fire Protection shall mean service through a line used to extinguish accidental fires which benefits only one Customer or one class of Customers and is provided as an extra service in addition to normal and customary fire protection provided by TRIGID to all Customers.

- 2.39 Replacement shall mean expenditures for obtaining and installing equipment, accessories or appurtenances which are necessary during the useful life of the water system facilities to maintain the capacity and performance for which such facilities were designed and constructed.
- 2.40 Rules shall mean these Rules, Regulations and Rates of The TRI General Improvement District For Water Service.
- 2.41 Service Area shall mean the place of use of water rights available to serve the certain areas as designated in Article 13 of these Rules.
- 2.42 Service and Connection Classifications:
- A. Combined Services shall mean service connections through which water is obtained for the dual purpose of fire protection and domestic use.
  - B. Commercial Services shall mean service connections to include, but not limited to, nonindustrial businesses, office buildings, private clubs, motels, hotels, department stores, retail stores, restaurants, clubs, schools, and similar Customers.
  - C. Domestic Services shall mean service connections through which water is obtained for all purposes exclusive of fire protection, but including residential, commercial, and industrial uses.
  - D. Emergency Service Connection shall mean a temporary service connection required to provide water to safeguard health and protect private or public property, subject to the conditions governing temporary service connections.
  - E. Industrial Service shall mean service to Customers engaged in warehousing or distribution, or in a process which creates or changes raw or unfinished materials into another form or product (e.g., factories, mills, manufacturing facilities, assembly plants, machine shops, mines, pumping plants, creameries, canning and packing plants, or processing activities).
  - F. Interim Services shall mean non-permanent connections for delivery of water for use during the construction of developments, other construction projects, and in certain instances, for emergency service.
  - G. Non-Standard Connection shall mean a service connection installed at a location not adjacent to the property served and where there will not be a main installed contiguous to the property.
  - H. Private Fire Service shall mean a service connection through which water is delivered to private property for fire protection exclusively.
  - I. Residential Service shall mean service to a Customer in a single family dwelling, mobile home or building, or in an individual flat, condominium, or apartment in a multiple family dwelling, or building or portion thereof occupied as the home, residence or sleeping place of one or more persons.
  - J. Service Connection shall mean the lateral pipe from the point of connection to a TRIGID water main, to and including the curb stop valve and/or meter box.
  - K. Standard Service Connection or "Permanent Service Connection" shall mean a service connection installed at a location adjacent to the property being served.
  - L. Temporary Service Connection shall mean a service connection installed at a location not adjacent to the property served and which is subject to removal or relocation at such time as a main is constructed.

- 2.43 Tenant shall mean a person renting or leasing a premise from the Customer or the Customer's selected representative.
- 2.44 TRIGID shall mean TRI General Improvement District, a political subdivision of the State of Nevada, formed and existing as specified in Subsection 1.1 of these Rules.
- 2.45 Water Meter shall mean a water volume measuring and recording device, furnished and/or installed by a user and approved by TRIGID.
- 2.45 Will Serve The written approval constituting a will serve commitment for water service from TRIGID.

### ARTICLE 3. CONDITIONS OF SERVICE

- 3.1 Pressures. All applicants for service connections or water service and Customers shall accept such conditions of pressure and service as are provided by the distribution system at the location of the proposed service connection, and shall hold TRIGID harmless for any damages arising out of low pressure or high pressure conditions.
- 3.2 Interruption of Service. TRIGID will endeavor to notify Customers in advance of any interruption in service due to repairs, or other causes. However, in emergency conditions, when notification is not practical, service may be interrupted for indefinite periods of time. All Customers shall hold TRIGID harmless for any damages arising from interruptions in service caused by repairs, emergencies or conditions beyond the control of TRIGID.
- 3.3 Area Served. Properties within the boundaries of the service area shall be eligible to receive water from TRIGID in accordance with these Rules and subject to acceptance by TRIGID of a completed application by Customer.
- 3.4 Main Required. New applications for water service will be accepted only if the water main extends to the property being served, said water being within an off-site right-of-way or easement granted to TRIGID, or TRIGID agrees to extend the water main, unless the Customer agrees to extend all distribution, storage and supply capacity necessary to serve the Customer, subject to the provisions of these Rules.
- 3.5 Property Not Adjacent to a Water Main. In order to obtain service to property not immediately adjacent to a water main as required by Article 3.4 above, the applicant will be required to provide a main extension in accordance with the requirements of Article 10, or the applicant may make application for a non-standard service if the property meets the requirements of Article 9.9, and the applicant may be required to comply with the provisions of Article 4.3.
- 3.6 Damage to Property. TRIGID will not be liable for damage to property resulting from water running from open or faulty piping or fixtures on the Customer's property or from interruption or termination of service in accordance with these Rules, Regulations and Charges. Customers who request activation of a service shall be responsible for damage resulting from such activation due to open or faulty piping and fixtures on the Customer's property.
- 3.7 Tampering with TRIGID Property. No one except an employee or representative of TRIGID shall at any time in any manner operate the curb cocks or valves, main cocks, gates or valves of TRIGID's system; or interfere with the meters or their connections, street mains or other parts of the system.

- 3.8 Penalty for Violation. For the failure of the Customer to comply with all or any part of these Rules, the Customer's service may be discontinued, in TRIGID's sole discretion, until the Customer is in compliance. Termination of water service shall be in accordance with Article 11.
- 3.9 Waste of Water. No Customer shall knowingly permit leaks or waste of water. Where water is wastefully or negligently used on a Customer's premises, or is flowing onto adjacent properties, roads, or drainage ditches seriously affecting the general service or operation of the system, TRIGID may discontinue the service if such conditions are not corrected within twenty-four (24) hours after giving the Customer written notice. Water can be turned off immediately if conditions are severe and warrant immediate action.
- 3.10 Regulation of Water Usage. TRIGID may from time to time require that a watering schedule be followed or use of water be curtailed, or provide incentives for off-peak time watering, by notice to each Customer. Unless a different water schedule is promulgated by TRIGID, the following schedule of restrictions shall apply for outdoor irrigation to all commercial, industrial and other nonresidential Customers:
- A. Customers with odd addresses - Monday and Thursday only;
  - B. Customers with even addresses - Tuesday and Friday only;
  - C. Watering by spray irrigation shall take place only between the hours of 6:00 p.m. to 6:00 a.m. during allowed days;
  - D. Watering by drip irrigation or by hand may take place at any time during allowed days; and
  - E. The watering of new lawns for a period of six weeks from the date of planting seed or laying sod or watering vegetation planted for erosion control in an approved project to the extent necessary to reasonably assure establishment thereof.
- 3.11 Notices to Customers. Notices from TRIGID to a Customer will normally be given in writing, and either delivered or mailed to Customer at Customer's last known address based on billing records. Where conditions warrant and in emergencies, TRIGID may resort to notification either by telephone, facsimile or messenger. When a Customer is refused service under the provisions of these Rules, TRIGID will notify the Customer promptly of the reason for the refusal to serve and of the right of the Customer to appeal TRIGID's decision to the Board. Failure by the Customer to accept a certified letter notice will not relieve the Customer of responsibility for contents of notice.
- 3.12 Notices from Customers. Notice from the Customer to TRIGID may be given by the Customer or Customer's authorized representative in writing at TRIGID's operating office. TRIGID's current operating office (which is subject to change) is:
- TRI General Improvement District  
1705 Peru Drive #104  
McCarran, NV 89437  
Telephone (775) 636-6126
- 3.13 Customer's Premises. TRIGID employees and agents shall have the right of access to Customer's property at all reasonable hours for any purpose related to the furnishing of service and protection of water quality and quantity, but will generally not enter upon Customer's premises to engage in repair or alteration of Customer piping and fixtures, since it is a responsibility of Customer to service or repair its piping and fixtures.
- 3.14 Special Conditions and Circumstances. In the event that conditions or circumstances arise which are not specifically covered by these Rules or warrant deviation from these Rules, TRIGID may take whatever

action, including establishing rates and charges which, in its discretion, is warranted, including execution of contracts and agreements with Customers covering special conditions and circumstances.

- 3.15 Effective Date. These Rules shall become effective on the date of signature by the Board.
- 3.16 Continuity. Adoption of these Rules shall not be construed as a waiver of any right or obligation under any prior agreement, contract, or commitment of a Customer and TRIGID.
- 3.17 Meters. All services shall have water meters and will be billed according to the metered rate schedule.

#### ARTICLE 4. SCHEDULE OF RATES AND CHARGES

- 4.1 General Metered Water Service. TRIGID shall not increase said rates and connection charges unless the Board determines that said rates and connection charges are insufficient to pay all costs of Capital Outlays (including interest carry) along with all operating costs of TRIGID, including but not limited to, overhead, salaries and other employee compensation, operating and maintenance expenses, taxes, reserve and replacement, water rights lease or purchase fees, any other fees, expenses and charges normal and customary for water service utility companies. In the event said rates are insufficient to pay all said operating costs, then monthly rates may be raised to a level that will cover all costs.

##### TRI-GID Water Rates

| Meter Size              | Water       |
|-------------------------|-------------|
| 3/4 inch                | \$ 26.51    |
| 1 inch                  | \$ 47.08    |
| 1 1/2 inch              | \$ 81.11    |
| 2 inch                  | \$ 122.54   |
| 4 inch                  | \$ 361.96   |
| 6 inch                  | \$ 705.13   |
| 8 inch                  | \$ 1,116.53 |
| 10 inch                 | \$ 1,945.34 |
| Usage Per 1,000 gallons | \$ 3.52     |

- 4.2 Charges for Construction Water. These charges apply to metered us of water during development and construction of projects.
  - A. Application for service must be completed and the location of the point of draw must be clearly identified
  - B. The contractor will be responsible for installation of a standard metered service and construction of temporary truck fills and appropriate backflow prevention assembly consistent with TRIGID conditions of service. The setup will require inspection, meter reading, and assembly testing prior to activation.
  - C. The monthly customer service charge shall be \$75.10.
  - D. The water usage charge shall be \$3.52 per 1,000 gallons of water used each month as set forth in Article 4.1.

- 4.3 Connection Fees. An applicant for a Will Serve shall pay the water connection fee in effect on the date of the application upon completion of all requirements under Article 15. For calculations of connection fees on all Commercial and Industrial accounts, the applicant must provide the TRIGID with expected usage and discharge volume information based on fixture unit counts. This information is to be provided on the TRIGID prescribed form, certified by a Civil Engineer registered in the State of Nevada, and submitted along with an approved stamped set of drawings. Connection fees shall be charged on a one-time basis in the amount of \$4.91 per gallon per day, based on the approved fixture calculations.
- 4.4 Build and Dedicate TRIGID System Facilities. If TRIGID determines, in TRIGID's sole discretion, that connection of new service for a Customer will exceed the standard specifications (see Article 15.2) for existing storage, supply or distribution capacity of TRIGID's water system, or requires additional storage, supply or distribution facilities, TRIGID may in its sole discretion require as a condition of service that the Customer design, permit and construct all additional new water facilities (e.g., wells, pump station, pipelines, valves, storage tanks) necessary to increase said capacity or provide facilities for Customer's use prior to providing water service. Customer shall complete and dedicate to TRIGID without charge all water system facilities as constructed. To the extent that any of said water system facilities are oversized beyond the Customer's needs, TRIGID shall reimburse the Customer from connection charges collected from subsequent Customers using said facilities or provide Customer a credit therefor from connection charges. The basis for reimbursement or credit shall be the difference in actual costs of the water system facilities between the capacity required for the constructing Customer's use and the oversized capacity. No overhead, administrative change, profit or interest on said actual costs will be reimbursable. All design and construction of said facilities must be approved by TRIGID. The constructing Customer shall not be entitled to a credit from the connection charge for all or any portion of the water system facilities so constructed, except as specified in this Article. The procedures specified in Article 10 shall be used for all construction under this Article. Construction by a third-party developer of off-site water system facilities shall not entitle the Customer to claim a credit or reimbursement for the water system facilities so constructed.

## ARTICLE 5. OTHER CHARGES, FEES AND DEPOSITS

- 5.1 Security Deposit for Service. TRIGID may require a security deposit in the amount of Five Hundred Dollars (\$500.00) or one-year's total estimated rates (whichever is less) from all new Customers or applicants, from Customers whose accounts are delinquent on more than one occasion (i.e., two monthly payments overdue) in any one (1) year period, or in situations where TRIGID has cause to believe that a deposit is required to ensure payment of bills. Upon discontinuance of service, any deposit held by TRIGID will be applied to the final billing with any deposit amount refunded to the Customer. By posting a deposit, the Customer agrees that the deposit is a pledge to make future payments to TRIGID and not payments for future services that are furnished by TRIGID.

Any application for service will not be granted unless full payment has been made for water or sewer services previously rendered to the applicant or Customer by TRIGID, if any. Failure on the part of the Customer to make a deposit within fifteen (15) days after written notice by TRIGID that such deposit be made or service may be discontinued, shall warrant TRIGID in discontinuing the service to the Customer. TRIGID may waive the security deposit requirement, in its sole discretion, or accept alternate security.

- 5.2 Charges for Disconnection, Reconnection, Account Transfer and Special Reading. If service is discontinued whether at the request of the Customer or initiated by TRIGID for reasons other than those specified in Article 5.10, the Customer shall pay a processing charge of fifteen (\$15.00) for disconnection and another fifteen dollars (\$15.00) for reconnection. If the Customer requests an account transfer or special meter reading, a processing charge of fifteen dollars (\$15.00) shall be charged. Customers must give 24 hours or previous working day's notice for disconnection, re-connection or special reading.

- 5.3 Installation Fee: The installation fee shall be charged to cover the cost of materials and labor for installing the water service. This fee shall be based on the service size and shall be in the amount shown. The installation fee includes tapping of the main, installation of the service line from the main to the meter, the meter, and the meter box, in accordance with the following table:

| <u>Service Size</u> | <u>Installation Fee</u>                          |
|---------------------|--|
| 3/4" or smaller     | \$ 750   |
| 1"                  | \$ 795   |
| 1 1/2"              | \$ 975   |
| 2"                  | \$1,290  |
| Over 2"             | Actual Cost, or \$1,300,<br>whichever is greater |

In the alternative, if all materials and labor are supplied, the installation fee includes setting of meter in a TRIGID approved installation, in accordance with the following table:

| <u>Service Size</u> | <u>Installation Fee</u> |
|---------------------|-------------------------|
| 3/4" or smaller     | \$ 80.00                |
| 1"                  | \$ 90.00                |
| 1 1/2"              | \$130.00                |
| Over 2"             | Actual Cost             |

TRIGID personnel or agents will do all service connection installations, unless TRIGID approves another means of installation.

- 5.4 Water Plan Checking and Inspection Fee. Any applicant, Customer or a Developer requiring approval of plans by TRIGID, a Will Serve letter, or desiring plan checking shall pay to TRIGID a \$500 plan review fee and a \$1000 inspection fee at the time of the Will Serve application.
- 5.5 Water Modeling Fee. Any Applicant, Customer or Developer requiring water modeling as part of site investigation, due diligence, or design process shall pay to TRIGID a \$500 water modeling fee at the time of the request for water modeling.
- 5.6 Relocation of Service Connection. An existing service connection may be relocated, if the new service is of like size and will provide a water supply to the same parcel of property, upon application and payment of an installation fee by the Customer.
- 5.7 Increase in Size of Service Connections. Enlargement of a service connection to the same property, requiring abandonment of the existing connection and installation of a complete replacement connection of increased size shall be treated as a new service connection and shall be charged accordingly. The fees to be paid by the Customer upon application for increase in size of service connection shall be the installation fee for the size of the larger service being installed and a connection charge which shall be determined by subtracting the connection charge for the size of service being abandoned from the connection charge for the size of service being installed, if any.
- 5.8 TRIGID Fire Hydrants Fire Fighting Use. There shall be no charges to governmental agencies for water available through TRIGID fire hydrants for use in fire suppression.
- 5.9 Private Use of TRIGID Fire Hydrants. Connections to TRIGID fire hydrants are prohibited unless a water service application is submitted to and approved by TRIGID. The applicant shall pay fees as specified in Article 4.6. Applicants for connections to fire hydrants shall designate the period of time and purposes for which water is to be used. TRIGID shall designate the fire hydrant that the applicant may use. Use of any other fire hydrant by the applicant other than the designated hydrant may result in an additional charge of



one hundred dollars (\$100.00) for each occurrence, and removal of Customer's or TRIGID's equipment, if any. TRIGID may discontinue the supply and remove its equipment at the expiration of the period so designated or if the supply is used for any purpose other than designated by the applicant. The supply is subject to limitations as to rate of flow and time of use. TRIGID will install all equipment necessary for the connection, unless TRIGID approves other arrangements, and no water will be used until such equipment is installed. In the event that a connection is made to a fire hydrant without authority to do so, the user shall be required to pay an additional charge of One Hundred (\$100.00) for each day of use prior to issuance of the permit.

- 5.10 Public Agencies Exempted from Deposit Requirements. In lieu of cash deposits or sureties, purchase orders will be accepted from public agencies.
- 5.11 Discontinuance Charge. If service is discontinued for non-payment of water bills or other violations of these Rules, the Customer shall pay a turn-off charge according to the schedule below. Before service is restored, all accrued water charges must be paid, in addition to a turn-on charge in an amount equal to the charge for turn-off according to the schedule below. If a Customer has had twelve (12) consecutive months without being disconnected for non-payment of bills or other violations, the discontinuance charge shall revert to the first occurrence charge according to the schedule below.

| <u>Occurrence of<br/>Discontinuance of Service</u> | <u>Turn Off And<br/>Turn On Charges</u> |
|--|---|
| First  | \$ 50.00                                |
| Second   | \$100.00                                |
| Third  | \$200.00                                |
| Fourth and beyond                                  | \$300.00                                |

Should the Customer reactivate the service without the consent of TRIGID, an additional charge of five hundred dollars (\$500.00) will be made for each such occurrence. Service will be considered to have been disconnected when an employee of TRIGID has been dispatched for that purpose. Termination of water service shall be in accordance with Article 11.

- 5.12 Fee for Turn-off at Main. Should it become necessary in order to enforce discontinuance of service. To shut off the service at the main, a charge equal to the cost of labor, equipment and materials will be made, but not less than \$250.00.
- 5.13 Delinquent Accounts. In addition to other provisions of these Rules, there will be a charge for late payment. If payment is not received before it becomes delinquent, a late penalty processing fee and a penalty on the outstanding balance will be charged in accordance with Article 7.3 and the service may be discontinued according to the procedure outlined in Article 11.
- 5.14 Unauthorized Use of Private Fire Service. When it is found that a private fire service is being used for purposes other than standby fire protection, TRIGID shall notify the Customer of the unauthorized use. Failure to discontinue unauthorized use will be cause for discontinuance of service. The Customer shall be charged for the water consumed through the unauthorized use, as TRIGID may deem appropriate, consistent with established rates, and in addition Customer shall pay a charge of one hundred dollars (\$100.00) per occurrence.
- 5.15 Damage to TRIGID Property. Persons causing damage to TRIGID property by any willful or negligent act shall be responsible for payment of all costs incurred. Customers or their contractors, agents and representatives causing damage to TRIGID property shall be strictly liable for payment of all costs caused by such damage.
- 5.16 Charges for Meter Testing. TRIGID will shop-test, preferably in the presence of the Customer, a meter of a size two-inches (2") or smaller, at the request of a Customer and payment of a twenty-dollar (\$20) fee. If

the meter, upon testing, registers no greater than two percent (2%) over the true quantity, the fee shall be forfeited, and all water bills shall be paid as presented. However, if the meter registers more than two percent (2%) of the true quantity, the fee shall be returned, and the amount overcharged during the prior six months, or such portion of the six month period as the Customer has been responsible for water bills, will be credited to the Customer and another meter substituted for the inaccurate meter. The same procedure shall apply to meters larger than two inches (2"), except that the meter shall be field-tested.

- 5.17 Photocopy Charges. The charge for making photocopies on TRIGID copying equipment shall be \$.25 per copy.
- 5.18 Reimbursement for District Costs Benefitting Individuals or Entities. The District shall seek reimbursement from those individuals or private companies for outside contract services, including but not limited to legal and engineering services, that are incurred by the District in relation to proposed new development or special projects that are deemed to benefit individual persons or entities, rather than the District customers at large. The reimbursements collected from individual persons or entities shall be limited to the actual time and materials and unit rate costs incurred by the District related to proposed new development or special projects that are deemed, in the District's discretion, to benefit individual persons or entities, rather than the District's customers at large. The District may require a retainer fee of up to \$1500, depending on the complexity and/or size of the project, at the discretion of the General Manager.

## ARTICLE 6. BASIS FOR BILLING

- 6.1 Monthly Billing. All services shall be billed on the basis of monthly rates specified in Article 4.1.
- 6.2 Meter Readings. Customers are responsible for payment of all water recorded as having passed through a meter regardless of whether the water was put to beneficial use.
- 6.3 Owner Responsibility. The Owner shall be ultimately responsible for payment of water bills and fees for its property in the case of nonpayment by a tenant or other occupant.

## ARTICLE 7. TIME AND MANNER OF PAYMENT

- 7.1 Issuance of Bills. TRIGID shall read the water meters in the service area monthly, and as soon thereafter as practicable, issue a bill for each service in accordance with these Rules. TRIGID shall send out bills for water used and for which no payment has been received and shall use the rates and charges established by these Rules to determine the amount.
- 7.2 Bills Due When Presented. Upon presentation, all bills shall be due and payable at the operating office of TRIGID or as specified in the bills.
- 7.3 Delinquent Accounts. Accounts not paid in accordance with Article 5.12 are delinquent and shall be charged a late fee of 1.5 percent per month of the outstanding balance plus a basic penalty fee of ten percent (10%) of the delinquent monthly billing.
- 7.4 Discontinuance of Service. TRIGID may discontinue service to a Customer having a delinquent bill as specified in Article 11.2.
- 7.5 Represents Lien on Property. Until paid, all rates and charges provided in these Rules which are delinquent constitute a perpetual lien on and against the property served and may be foreclosed upon as provided by law.

- 7.6 Proration of Service Charges; Minimum Bill. If any opening or closing bill is for a period shorter than the regular billing period, the base rate charge for service shall be reduced in the same proportion as the actual period of use is reduced from the regular billing period.
- 7.7 Failure to Receive a Bill. Failure to receive a bill does not relieve the Customer of the obligation to pay for services received.
- 7.8 Checks Not Honored by Bank. Checks presented in payment to TRIGID which are returned by a bank shall be treated as though no payment had been made and a fifty-dollar (\$50.00) handling charge will be levied by TRIGID plus any additional charges of the bank. Payment in lieu of returned checks may be required to be by cash or equivalent. The Customer must reimburse TRIGID for any returned check fees charged by a bank to TRIGID.
- 7.9 Multiple Water Bills. For the purpose of computing charges, each meter will be considered separately, and readings of multiple meters will not be combined, except where a battery of smaller meters has been installed in lieu of a larger one for TRIGID's convenience. In such cases, charges will be computed as if the water used has been measured through a single meter.
- 7.10 Estimated Bills and Non-operable Meters. If a meter cannot be read because of obstructions or other causes, an estimate shall be made of the quantity of water used, and a bill shall be issued for the estimated service. The next succeeding bill which is based upon actual meter readings will reflect the difference between prior estimates and actual consumption. If a meter is found to be non-operable, consumption shall be estimated and billed, considering all pertinent factors.
- 7.11 Billing Adjustments. Where billing adjustments are processed for inaccurate meter recordings or other usage adjustments, if the meter has:
- A. under-recorded the usage of water, the adjustment shall be only for the period of the most recent six (6) months of usage.
  - B. over-recorded the usage, the adjustment in the form of a credit shall be made only for the period of the most recent six (6) months of usage.
  - C. A Customer who, because of an adjustment to his bill, owes TRIGID money for service may pay that amount over a three (3) month period. TRIGID shall credit the Customer who was overcharged because of an inaccurate meter not later than thirty (30) days after the overcharge is determined.
- 7.12 Disputed Bills. In the case of a dispute between a Customer and TRIGID as to the correct amount of any bill rendered by TRIGID for water service furnished to the Customer, the Customer will deposit with TRIGID the amount claimed by TRIGID to be due. Failure on the part of the Customer to make such deposit within fifteen (15) days after written notice by TRIGID that such deposit be made or service may be discontinued, shall warrant TRIGID in discontinuing the service to the Customer without further notice. A billing dispute not resolved to the Customer's satisfaction is subject to the dispute resolution procedures as provided in Article 14.

## ARTICLE 8. APPLICATION FOR SERVICE

- 8.1 Application. Each person applying for a new water service or changes in an existing service, will be required to sign appropriate application forms provided by TRIGID and to pay all required fees and charges. The application form shall include an agreement to abide by all TRIGID rules and regulations and shall require furnishing such information as TRIGID may reasonably require. Each applicant shall describe the type of development proposed for the property.

- 8.2 Existing Service Connection. Applicants for service through existing service connections shall nevertheless provide required information on application forms provided by TRIGID.
- 8.3 New Service. The applicant shall provide any and all information which will assist TRIGID in properly sizing and locating a service lateral and meter, including a description of the development, the use of water and plumbing plans of the private facilities, if required. Applications shall be accompanied by payment of the service connection installation fee, plus the connection charge, unless deferred.
- 8.4 Correct Information. In the event that an applicant provides incorrect information as to the size and location of a service connection or requests a change in the size or location after work has commenced, the applicant shall pay any costs incurred by reason of such corrections and changes.
- 8.5 Rejection of Application. Applications for service through existing or new service connections accompanied by all required fees and charges may nevertheless be rejected if:
- A. The account of the applicant or any other person (e.g., prior Customer, tenant, owner) at the same service location, or the applicant at another location, is delinquent.
  - B. The purpose of the applicant, in the opinion of TRIGID, is to circumvent discontinuance of service in another name because of nonpayment of water bills.
- 8.6 Service Outside Service Area Boundary. Only property within the service area boundary is eligible for water service from TRIGID. Property outside the service area must be annexed into the service area before application can be made for water service to the property. Applicant shall pay all costs associated with annexation of property into the service area. The Board may deny any annexation request, in its sole discretion, and the Board shall not approve any annexation that conflicts with existing County Master Plans and/or existing Development Agreements for the TRIGID Service Area. The Board may annex, in its sole discretion, any property for wholesale service, and any nonresidential property for retail service.

## ARTICLE 9. SERVICE CONNECTIONS

- 9.1 Size and Water Supply. TRIGID reserves the right to determine the size of the service connection to be installed, giving consideration to the needs of the applicant and the capacity of the main to which the service is to be connected. No service connection shall be approved of a size larger than can be supplied by the main without adversely affecting service to other Customers. In the event an existing main is determined to be inadequate to meet the requirements of an applicant and a main extension will provide for those requirements, provisions of these Rules applying to main extensions will be followed. Whenever two mains are available from which service can be provided, TRIGID shall, at its option, determine the main to which the service connection will be made.
- 9.2 Location. Service connections shall be installed at right angles to a main and the point of connection shall not be within a street intersection. The curb stop or meter box location shall normally be within the off-site right-of-way or easement adjacent to existing or proposed curb line. In alleys or easements, curb-stops or meter boxes shall be located at a point as close as practicable to the property line near which the main is located. All curb-stops and meter boxes shall be located outside of driveways and other areas where access by TRIGID employees or representatives for operation and maintenance may be restricted.
- 9.3 Composition. A standard service connection shall be comprised of a service lateral from the point of connection to the main, to and including meter box or battery thereof. The meter box shall contain a meter riser with integral curb stop and check valve, and a meter.
- 9.4 Ownership. Service connections, including laterals, to and including curb stops, meter boxes, and other appurtenances, shall upon completion be and remain the property of TRIGID and TRIGID shall be

responsible for the maintenance and repair of such facilities, subject to any agreements covering the installation of such facilities. All pipe and fittings on the Customer's side of the curb stop and/or meter box shall be installed by and maintained by the Customer or Customer.

- 9.5 Private Fire Service. Private fire service shall be restricted to standby for emergency fire protection. TRIGID may require installation of an approved detector check valve.
- 9.6 Combined Service. Combined service shall be allowed only when so approved by TRIGID.
- 9.7 Temporary Service. TRIGID may authorize a temporary service connection when the applicant's property is not adjacent to a water main. As a condition to installation of temporary service, the applicant is required to provide assurance satisfactory to TRIGID of the prompt installation of the necessary main extension.
- 9.8 Emergency Service. Emergency service may be authorized for limited periods of time when the usual source of supply fails or is declared to be potentially harmful, or in other circumstances that endanger health or property. Connections may be provided, at the discretion of TRIGID, to any available outlet from TRIGID facilities.
- 9.9 Non-Standard Service. Non-standard service may be authorized when, in the opinion of TRIGID, a main extension will not be necessary for orderly development of the system, fire protection, service to other property or other reasons. Non-standard service laterals from curb stop of meter box to the Customer shall normally not be located within an off-site right-of-way. A copy of the recorded easement grant over private property for a service lateral shall be provided to TRIGID's satisfaction.
- 9.10 Separate Service to Each Separate Ownership. Each living unit or nonresidential service under separate ownership must be provided with a separate service connection, unless TRIGID approves a different connection. Two or more Customers under one ownership and on the same lot or parcel of land may be supplied through the same service connection; provided that for each Customer an additional monthly base rate will be applied to the single service serving said Customer, or a separate service connection may be provided for each building and each charged as a separate service. TRIGID reserves the right to limit the number of parcels or the area of land under one ownership to be supplied by one service connection. Not more than one service connection for domestic or commercial supply shall be installed for one building (other than multi-tenant buildings), except under special conditions. A service connection shall not be used to supply other property of a different owner or to supply property of the same owner across a street or alley. When property provided with a service connection is divided, each service connection shall be considered as belonging to the lot or parcel of land which it directly enters.
- 9.11 Installation of TRIGID Facilities by a Developer. Subject to the provisions of applicable sections of these Rules, the following shall apply to the installation of all facilities by a developer which are to be owned and operated by TRIGID.
  - A. The developer shall pay to TRIGID prior to the approval of any installation all applicable fees and charges.
  - B. Plans and specifications for the water system improvements to be constructed by the developer shall be prepared by a Nevada Professional Engineer retained by the developer and shall be approved by TRIGID and the Storey County Fire Department (or its designee) before construction is started.
  - C. All TRIGID water facilities shall be located within easements or rights-of-way. Water meter boxes shall be located outside of travel lanes and driveways and shall be protected from vehicular traffic, as determined by TRIGID.
  - D. TRIGID shall have inspected and approved the installation of the water service facilities before service is provided (other than water for construction purposes).

- E. Prior to installation, fire hydrants to be connected to a TRIGID main shall be approved by the fire department having jurisdiction.
- 9.12 Installation By TRIGID. Unless otherwise approved by TRIGID, service connections shall be installed by TRIGID. When warranted by circumstances, TRIGID may permit installation of the service connections by independent contractors. In such event, TRIGID specifications must be adhered to and tapping of a main will be permitted only in the presence of a representative of TRIGID.
- 9.13 Cross-Connections. No connections shall be permitted between TRIGID water supply system and; 1) any sewer or drainage system; 2) any steam, gas, or chemical line, pipe or conduit; 3) any device, boiler, tank or container whereby any contamination or pollution or any dangerous, impure, unsanitary, or unpotable substance may be introduced into any portion of TRIGID's water supply system by backflow, back-siphonage, or any other method; and 4) any premises where a water supply system other than TRIGID's exists, unless approved by TRIGID. Any connection where possibility of contamination or pollution exists shall be equipped and tested as outlined in Article 12.
- 9.14 Service Connection Restrictions. TRIGID reserves the right to prohibit connections to certain mains when, in its opinion, such connections may impair the integrity of such mains or when the location of such connection would not be conducive to orderly development and planning of the distribution system. In such conditions, consideration will be given to main extension or alternate means of supply.
- 9.15 Relief Valves. As a protection to the Customer's plumbing system, a suitable pressure relief valve must be installed and maintained by the Customer, at its expense, when check valves or other protective devices are used. The relief valve shall be installed between the check valves and any water heater.
- 9.16 Back Flow Device. Whenever back flow protection has been found necessary on a water supply line entering a Customer's premises, then any and all water supply lines from TRIGID's mains entering such premises, buildings or structures shall be protected by an approved back flow device, regardless of the use of the additional water supply lines. Approved back flow protection devices shall be inspected and tested annually in accordance with Article 12. The devices shall be serviced, overhauled, or replaced whenever they are found defective and all costs of repair and maintenance shall be borne by the Customer. The service of water to any premises may be immediately discontinued by TRIGID if any defect is found in the backflow prevention installation or other protective devices, or if it is found that dangerous unprotected cross-connections exist. Service will not be restored until such defects are corrected.

## ARTICLE 10. MAIN EXTENSION

### 10.1 General Conditions.

- A. Construction Plans. A person proposing an extension to TRIGID distribution system to provide a water supply to a parcel of property shall submit detailed water plans. Such plans shall indicate the size and location (horizontal and vertical) of water mains and other facilities, including all service laterals and fire hydrants. In addition, water plans shall designate boundaries of the applicant's property which will be served by the proposed extension. Water system improvements shall be designed by a professional engineer licensed in Nevada.

TRIGID will review the water plan and return written comments to the applicant indicating any necessary revisions. The applicant shall prepare and submit to TRIGID final plans of the water improvements with all comments addressed to the satisfaction of TRIGID. Upon execution of the appropriate agreement by the applicant; payment of applicable charges, fees and deposits; approval of other appropriate governmental agencies, and a preconstruction conference with TRIGID, TRIGID will give the applicant permission to start construction. No water related construction will be started before permission is granted by TRIGID.

- B. Time Limitation. Approval by TRIGID for any main extension shall be valid for a limited time as will any related commitment of existing capacity in a particular main. In the event that construction of the mains covered by any approved plan is not started within one (1) year from the date of approval, the project shall be deemed to have been abandoned, and any subsequent proposal for reactivation shall be treated as a new project. The same shall apply when active construction work within a property is commenced and then discontinued for a period of six (6) months.
- C. Compliance with Specifications. All main extensions, service connections, and appurtenances shall be constructed to conform with TRIGID specifications. Mains shall be sterilized to the satisfaction of TRIGID and activation of the mains for domestic use shall not be permitted until authorized by TRIGID. Connections to existing mains shall be made only in the presence of a representative of TRIGID and at times specified by TRIGID. Shutting down of mains for the purpose of making connections will not be permitted when wet taps are feasible. Mains will be shut down only with the specific approval of TRIGID.
- D. Guarantee. Materials and workmanship shall be guaranteed free of defect for a period of one (1) year from date of acceptance by TRIGID. Upon receipt of notice from TRIGID, the developer or Customer shall immediately cause any defect to be corrected or shall reimburse TRIGID for the cost of correction.
- E. Rights-of-Way. Water mains and appurtenances shall be located within off-site rights-of-way or within easement grants to TRIGID not less than 20 feet in width or as TRIGID may specify. All rights-of-way or easements shall be recorded prior to release of approved plans.
- F. Minimum Size of Main. The minimum size of any main to be constructed as a part of TRIGID's distribution system shall be six (6) inches in diameter; except in certain dead end locations where there are no fire hydrants and future extensions are not possible, TRIGID may allow mains four (4) inches in diameter.
- G. Fire Hydrants. Fire hydrant installations shall conform with design and location requirements of the governmental agency having jurisdiction.
- H. Commitment of Water Supply. Main extensions or other facilities constructed by persons for development of property shall not be considered as reserved for supply to those properties exclusively. Extensions of and connections to such mains for service to others shall be permitted when, in the opinion of TRIGID, such connections will not substantially affect supply to the original development or property.

10.2 Standard Main Extensions.

- A. General Conditions. Main extensions proposed for construction under provisions of this Article shall be subject to the general conditions as described in Article 10.1.
- B. Size of Mains. Proposed water main extensions to serve developments, both on-site and off-site, shall be of sufficient size to adequately provide a water supply for the development. TRIGID reserves the right to establish sizes of all mains and appurtenances.
- C. Responsibility for Cost. The cost of all main extensions to be constructed under Article 10.2, including service laterals, fire hydrants, and other appurtenances, shall be borne by the developer or Customer.
- D. Agreement and Payment of Fees. Prior to TRIGID's permission to start construction, the developer or Customer shall execute a standard form of agreement with TRIGID and submit

payment of all required fees, construction water charges, and other fees and deposits as required by these Rules.

- E. Construction by Private Contractor or Developer. Design and preparation of construction drawings shall be done by competent registered professional engineer selected by the applicant. Construction work shall be performed by an experienced, properly licensed and competent person or firm selected by the applicant. In certain circumstances when, in the opinion of TRIGID, the extent of work to be performed is minor and can be accomplished efficiently and economically by TRIGID employees or representatives, TRIGID may elect to perform the work and the applicant shall deposit an amount equivalent to the estimated cost. Upon completion of construction, the differential between estimated and actual costs will be billed or refunded.
- F. Completion. Upon completion of the work, the applicant's engineer shall certify that the work was completed according to the plans and specifications, except in the case of work completed by TRIGID. Water service will not be activated until the engineer's certification is submitted to TRIGID and TRIGID accepts the construction.

### 10.3 Oversized Main Extensions.

- A. General Conditions. Main extensions proposed for construction under provisions of this Article shall be subject to the general conditions described in Article 10.1.
- B. Applicability. For the purpose of this Article, an oversized main is described as a main larger than eight inches (8") and which, in addition to providing an adequate water supply to the proposed development, is required to be of a size which will be capable of meeting future demands for parcels other than Customer's on the distribution system and provide for orderly development of that system. TRIGID reserves the right to determine what constitutes an oversized main.
- C. Location of Mains. Oversized mains may be off-site (outside the boundaries of a development) or traverse the interior area or combination thereof.
- D. Identification of Mains. TRIGID shall indicate and identify on water plans submitted for a proposed development both the standard and oversized diameters of pipelines to be constructed.
- E. Approval by TRIGID Required. Proposals for oversizing of water mains shall be submitted to TRIGID for review and approval. Water plans, conforming with TRIGID's directive, shall then be approved and TRIGID shall enter into an agreement with the developer or Customer, providing for TRIGID's participation in construction costs as hereinafter set forth.
- F. Participation in Cost. Participation by TRIGID for the oversizing of a main extension shall be based on the difference in actual cost of pipe, fittings, and valves between the size required for the main extensions and the size required for oversizing, and shall not include trenching and backfilling. The cost difference shall be established by a certified price list from the supplier. Prices quoted on the list shall be the actual prices charged to the buyer. Hydrants installed by the developer on off-site lines shall not be considered as oversizing.
- G. Alternate Method of Payment. TRIGID may, in lieu of a lump sum payment of TRIGID's portion of the construction costs, arrange with the developer or Customer for an alternate method of payment from future hook-ups for a period of ten (10) years.

## ARTICLE 11. TERMINATION OF SERVICES



11.1 Customer Request for Termination of Service. A Customer may have service terminated by giving not less than five (5) business days advance notice thereof to TRIGID, and provide a mailing address to which the closing bill will be mailed. Charges for service may be required to be paid until the requested date of discontinuance or such later date as will provide not less than the required five (5) business days advance notice. When such notice is not given, the Customer will be required to pay for service until five (5) business days after TRIGID has knowledge that the Customer has vacated the premises or otherwise has terminated service. Failure to notify TRIGID of termination of service shall not relieve the Customer or property owner (if other than the Customer) of responsibility for payment of water bills.

11.2 Termination of Service by TRIGID.

- A. For Nonpayment of Bills. A Customer's service may be discontinued for nonpayment of a bill for service furnished if the bill is delinquent, provided TRIGID has given the Customer at least five (5) days prior notice of its intention to discontinue service.

Premises to which charges have become delinquent may be disconnected from the water system. TRIGID shall charge the cost of disconnection of such premises and the cost of reconnection thereto, as provided in Article 5.2, plus the discontinuance charge in Article 5.11, before such premises are reconnected to the water system.

- B. For Noncompliance with Rules. TRIGID may discontinue service to any Customer for violation of these Rules after it has given the Customer at least five (5) days written notice of such intention. Where safety of water supply is endangered, or other emergency circumstances exist, service may be discontinued or curtailed immediately without notice.
- C. For Inter-Connections, Cross-Connections, or Illegal Connections. Where nonemergency inter-connection, cross-connection, or illegal connection on or from a Customer's premises occurs, TRIGID may discontinue service and/or make such corrections as may be indicated at Customer's expense, if such practices are not remedied within five (5) days after it has given the Customer written notice to such effect.
- D. For Unsafe Apparatus or Where Service is Detrimental or Damaging to TRIGID or its Customers. If any unsafe or hazardous condition is found to exist on the Customer's premises, or if any apparatus or illegal or prohibited connections, equipment or otherwise, is found to be detrimental or damaging to TRIGID or its Customers, the service may be discontinued without notice. TRIGID will notify the Customer immediately of the reasons for the discontinuance and the corrective action to be taken by the Customer before service can be restored.
- E. For Fraudulent Use of Services. When TRIGID has discovered that a Customer has obtained service by fraudulent means, or has altered the water service for unauthorized use, the service to that Customer may be discontinued without notice. TRIGID may not restore service to such Customer until that Customer has complied with all policies, rules and reasonable requirements of TRIGID and TRIGID has been reimbursed for the full amount of the service rendered and the actual cost that TRIGID incurred by reason of the fraudulent use.

11.3 Restoration of Service.

- A. To Be Made During Regular Working Hours. TRIGID will endeavor to make reconnections during regular working hours on the day of the request, if conditions permit; otherwise, reconnection will be made on the regular working day following the day the request is made.
- B. To Be Made at Other Than Regular Working Hours. When a Customer has requested that the reconnection be made at other than regular working hours, TRIGID will reasonably endeavor to so make the reconnection if practicable under the circumstances, but will be under no obligation to do so, unless an emergency exists. Disconnections or reconnections requested by the Customer at

other than regular working hours may result in the requirement of payment of additional TRIGID costs in addition to the charges for disconnection and reconnection as outlined in Article 5.2.

11.4 Refusal to Serve.

- A. Conditions for Refusal. In addition to the provisions of Article 8.5, TRIGID may refuse an applicant for service under the following conditions:
1. If the applicant for service is not within the boundaries of TRIGID.
  2. If the intended use of the service is of such a nature that it will be detrimental or injurious to existing Customers.
  3. If the applicant fails to comply with these Rules or other rules as approved by the Board.
  4. If, in the judgment of TRIGID, the applicant's installation for utilizing the service is unsafe or hazardous or subject to freezing, or flooding, or of such nature that satisfactory service cannot be rendered.
  5. Where service has been discontinued for fraudulent use, TRIGID may elect not to serve an applicant until it has determined that all conditions of fraudulent use or practice have been corrected.
  6. If the applicant for service is for a residential use.
- B. Notification to Customers. When an applicant is refused service under the provisions of this Article, TRIGID will notify the applicant promptly, by procedures specified in Article 3.12, of the reason for the refusal to serve and of the right of the applicant to appeal TRIGID's decision to the Board. Whenever termination of water service will affect more than one Customer, TRIGID will make reasonable effort to give notice to all Customers.

ARTICLE 12. CROSS CONNECTION CONTROL

12.1 Purpose

- A. Protect the TRI-GID potable water system from contamination or pollution by preventing contaminants and pollutants within the water systems of customers from entering the TRI-GID water system;
- B. Eliminate existing connections between drinking water systems and other sources of water that are not approved as safe and potable for human consumption;
- C. Eliminate cross-connections between drinking water systems and sources of contamination;
- D. Prevent the creation of cross-connections in the future.

12.2 Definitions

- A. Air-Gap Separation (AG). "Air gap separation" means a physical break between a supply pipe and a receiving vessel. The air-gap shall be at least double the diameter of the supply pipe measured vertically above the top rim of the vessel, but in no case less than one inch (1").

- B. Approved Backflow Prevention Assembly. “Approved Backflow Prevention Assembly” refers to an assembly that has been manufactured in full conformance with the standards established by the American Water Works Association (AWWA C506, ‘Current Revision’ Standards for Reduced Pressure Principle and Double Check Valve Backflow Prevention Devices); and has passed laboratory and field evaluation tests performed by a recognized testing organization which has demonstrated their competency to perform such test to the TRI-GID Public Works Department.
- C. Approved Water Supply “Approved Water Supply” means any water supply whose potability is regulated by a state or local health agency.
- D. Auxiliary Supply. “Auxiliary Supply” means any water supply on or available to the premises other than the approved water supply.
- E. AWWA Standard. “AWWA Standard” means an official standard developed and approved by the American Water Works Association (AWWA).
- F. Backflow. “Backflow” means a flow condition, caused by a differential in pressure that causes the flows of water or other liquids, gases, mixtures or substances into the distributing pipes of a potable supply of water from any source or sources other than an approved water supply source. Back siphonage is one cause of backflow. Backpressure is the other cause.
- G. Contamination. “Contamination” means a degradation of the quality of the potable water by any foreign substance which creates a hazard to the public health, or which may impair the usefulness or quality of the water.
- H. Cross-Connections. “Cross-Connections” as used in this chapter means any unprotected actual or potential connection between a potable water system used to supply water for drinking purposes and any source or system containing unapproved water or substances that is not or cannot be approved as safe, wholesome and potable. By-pass arrangements, jumper connections, removable sections, swivel or changeover assemblies, or other assemblies through which backflow could occur, shall be considered cross-connections.
- I. Double Check Valve Assembly, (DC). “Double check valve assembly” means an approved backflow prevention assembly of two (2) internally loaded, independently acting check valves, including resilient seated shut-off valves on each end of the assembly and test cocks for testing the water-tightness of each check valve.
- J. Person. “Person” means any individual, corporation, company, association, partnership, municipality, public utility, or other public body or institution.
- K. Premises. “Premises” means any and all areas on a water user’s property which are served or have the potential to be served by the public water system.
- L. Public Water System. “Public Water System” means a system for the provision of piped water to the public for human consumption that has fifteen (15) or more service connections or regularly serves an average of twenty-five (25) individuals daily at least sixty (60) days out of the year.
- M. Non Potable Water. “Non Potable Water” means a wastewater, which, as a result of treatment, is suitable for uses other than potable use.

- N. Reduced Pressure Principle Backflow Prevention Assembly. “Reduced pressure principle backflow prevention assembly” (RP) means an approved backflow prevention assembly incorporating two (2) internally loaded check valves, including resilient seated shut-off valves on each end of the assembly, and equipped with necessary test cocks for testing the assembly.
- O. Service Connection. “Service Connection” refers to the point of connection of a user’s piping to the water supplier’s facilities.
- P. Water Supplier. “Water Supplier” means the person who owns or operates an approved water supply system.
- Q. Water User. “Water User” means any person obtaining water from an approved water supply system.

### 12.3 Cross-connection protection requirements

#### A. General Provisions

1. Unprotected cross-connections with the public water supply are prohibited. Nevada Administrative Code 445, Section 408 requires the State Health Officer’s written approval to interconnect water supplies.
2. Whenever backflow protection has been found necessary, TRI-GID will require the water user to install an approved backflow prevention assembly by and at the user’s expense for continued services or before new service will be granted. For new water meter sets, the required backflow assembly shall be installed, inspected, approved and certified test results provided to TRI-GID within; five (5) days of meter set, unless the TRI-GID District Manager or designee approves otherwise. The service will be locked off if inspections and certifications are not completed as specified above.
3. Wherever backflow protection has been found necessary on a water supply line entering a water user’s premises, any and all water supply lines from TRI-GID mains entering such premises, buildings, or structures shall be protected by an approved backflow prevention assembly. The type of assembly to be installed will be in accordance with the requirements of this chapter.

#### B. Where Protection is Required.

1. Each service connection from the TRI-GID water system for supplying water to premises having an auxiliary water supply shall be protected against backflow of water from the premises into the public water system unless the auxiliary water supply is an approved water supply. NAC 445, Section 408 requires the State Health Officer’s written approval to interconnect water supplies.
2. Each service connection from the TRI-GID water system for supplying water to premises on which any substance is handled in such fashion as may allow its entry into the water system shall be protected against backflow of the water from the premises into the public system. This shall include the handling of process waters and waters originating from the TRI-GID water system which have been subjected to deterioration of sanitary quality.
3. Backflow prevention assemblies shall be installed on the service connection to any premises having:

- a. Internal cross-connections that cannot be permanently corrected and controlled to the satisfaction of the TRI-GID or
- b. Intricate plumbing and piping arrangements or where entry to all portions of the premises is not readily accessible for inspection purposes, making it impracticable or impossible to ascertain whether or not cross-connections exist.

C. Type of Protection Required

1. The type of protection that shall be provided to prevent backflow into the approved water supply shall be commensurate with the degree of hazard that exists on the water user's premises. The type of protection assembly that shall be required (listing in an increasing level of protection) includes: atmospheric vacuum breaker (AVB), pressure vacuum breaker or spill resistant pressure vacuum breaker (PVB/SVB), double check valve assembly (DC), reduced pressure principle backflow prevention assembly (RP), and an air-gap separation (AG). The water user may choose a higher level of protection than required by the TRI-GID. The minimum types of backflow protection required to protect the approved water supply, at the user's water connection, are given in NAC 445A.6719 through NAC 445A.6721. Situations that are not covered in those sections of the NAC shall be evaluated on a case-by-case basis and the appropriate backflow protection shall be determined by TRI-GID.
2. When two (2) or more services supply water from different street mains to the same building, structure, or premises through which an inter-street main flow may occur, the premises shall have at least a DC on each water service to be located adjacent to and on the property side of the respective meters. Such protection shall not be considered adequate if backflow protection is deemed necessary to protect the mains from contamination; in such cases the installation of approved backflow assemblies at such service connections shall be required.

12.4 Backflow Prevention Assemblies

A. Approved Backflow Prevention Assemblies.

1. Only backflow prevention assemblies which have been approved by the University of Southern California Foundation for Cross-Connection Control and Hydraulic Research shall be acceptable for installation by a water user connected to TRI-GID's potable water system.
2. TRI-GID will provide upon request, to any affected user, a list of approved backflow prevention assemblies.

B. Backflow Prevention Assembly Installation

1. Backflow prevention assemblies shall be installed in a manner prescribed in the Standards and Details adopted by TRI-GID. Location of the assemblies shall be as close as practical to the user's service connection. TRI-GID shall have the final authority in determining the required location of a backflow prevention assembly.
  - a. Air-Gap Separation (AG). The air-gap separation shall be located on the user's side of and as close to the service connection as is practical. All piping from the service connection to the receiving vessel shall be above grade and be entirely visible. NO water use shall be provided from any point between the service connection and the air-gap separation. The water inlet piping shall terminate a distance of at least two pipe diameters of the supply inlet, but in no case less than one inch above the overflow rim of the receiving tank.

- b. Reduced Pressure Principle Backflow Prevention Assembly (RP). The approved reduced pressure principle assembly shall be installed on the user's side of and as close to the service connection as is practical. The assembly shall be installed a minimum of twelve inches above grade and not more than thirty-six inches above grade, measured from the bottom of the assembly, and with a minimum of twelve inches side clearance. The assembly shall be installed so that it is readily accessible for maintenance and testing. Water supplied from any point between the service connection and the RP assembly shall be protected in a manner approved by TRI-GID.
- c. Double Check Valve Assembly (DC). The approved double check valve assembly shall be installed on the user's side of and as close to the service connection as is practical. The DC shall be installed above grade, if possible, and in a manner where it is readily accessible for testing and maintenance. If a double check valve assembly is put below grade it must be installed in a vault such that there is a minimum of twelve inches between the bottom of the vault and the bottom of the assembly, so that the top of the assembly is a maximum of twenty inches below grade and a maximum of thirty inches below grade, so there is a minimum of twenty-four inches of clearance between the side of the assembly with the test cocks and the side of the vault, and so there is a minimum of twelve inches clearance between the other side of the assembly and the side of the vault. Special consideration must be given to double check valve assemblies of the "Y" type. These assemblies must be installed so that either check valve may be removed for service and testing can be completed without removing the assembly. Vaults that do not have an integrated bottom must be placed on a three-inch layer of gravel.
- d. Pressure Vacuum Breaker Assembly/Spill Resistant Pressure Vacuum Breaker (PVB/SVB). The approved PVB/SVB shall be installed 12" above the downstream piping and sprinkler heads. The assembly shall not be subject to any backpressure from injection systems, compressed air, pumps, or other means.
- e. Atmospheric Vacuum Breaker (AVB). The use of the AVB for service protection is prohibited.

C. Backflow Prevention Assembly Testing and Maintenance.

- 1. The owner of any premises on which, or on account of which, backflow prevention assemblies are installed, shall have the assemblies tested by a person who is certified as a Backflow Prevention Assembly Tester by the CA/NV AWWA. Backflow prevention assemblies must be tested at least annually and immediately after installation, relocation or repair. TRI-GID may require a more frequent testing schedule if it is determined to be necessary. No assembly shall be placed back in service unless it is functioning as required. A report on the TRI-GID applied form must be filed with TRI-GID each time an assembly is tested, relocated or repaired. These assemblies shall be serviced, overhauled or replaced, whenever they are found to be defective and all costs of testing, repair, and maintenance shall be borne by the water user.
- 2. A successful, operational function test by a tester shall be completed and is due to TRI-GID within seven (7) days after the assembly is installed and water service is set and/or established.
- 3. Affected water users can obtain a list of qualified testers from the Nevada Health District. TRI-GID will notify affected customers by mail when periodic testing of an assembly is required.

D. Backflow Prevention Assembly Removals

- 1. Approvals must be obtained from TRI-GID before a backflow prevention assembly is removed, relocated, or replaced.

2. Removal: The use of an assembly may be discontinued and the assembly removed from service upon presentation of sufficient evidence to TRI-GID to verify that a hazard no longer exists or is not likely to be created in the future.
3. Relocation: An assembly may be relocated following confirmation by TRI-GID that the relocation will continue to provide the required protection and satisfy installation requirements. A retest will be required following the relocation of the assembly.
4. Repair: An assembly may be removed for repair, provided the water use is either discontinued until repair is completed and the assembly is tested and returned to service, or the service connection is equipped with other backflow protection approved by TRI-GID. A retest will be required following the repair of the assembly.
5. Replacement: An assembly may be removed and replaced provided the water use is discontinued until the replacement assembly is installed and tested. All replacement assemblies must be approved by TRI-GID and must be commensurate with the degree of hazard involved. A retest will be required following the replacement of the assembly.

## 12.5 Administrative Procedures

### A. Water System Survey

1. TRI-GID will review all requests for new service to determine if backflow protection is needed. Plans and specifications must be submitted to the TRI-GID upon request for review of possible cross-connection hazards as a condition of service for new service connections. If it is determined that a backflow prevention assembly is necessary to protect the public water system, the required assembly must be installed before service will be granted.
2. TRI-GID may require an on-site inspection to evaluate cross-connection hazards. TRI-GID will transmit a written notice requesting an inspection appointment to each affected water user. Any water user who cannot provide for an on-premises inspection of premises piping systems shall be required to install the backflow prevention assembly or air-gap that TRI-GID considers necessary.
3. TRI-GID may, at its discretion, require a re-inspection for cross-connection hazards of any premises to which it serves water. The TRI-GID will transmit a written notice requesting an inspection appointment to each affected water user. Any water user who cannot provide for an on-premises inspection of premises piping systems shall be required to install the backflow prevention assembly or air-gap that TRI-GID considers necessary.

### B. Tester Responsibilities and Testing Requirements

1. The TRI-GID approved test form shall be used for required backflow prevention assemblies. This form is available in electronic format.
2. All data on the test form must be legible and complete, otherwise the form will be returned to the tester for completion.
3. If the water meter number is not provided on the test form, the tester shall provide a copy of the water user's bill and attach it to the test form.

4. Any tester who conducts tests of backflow prevention assemblies which protect fire service connections shall also be a licensed fire system contractor or work under the direct supervision of a licensed fire system contractor per Nevada State Health.
5. TRI-GID retains the right to test a water user's backflow prevention assembly on a random basis as a quality control measure. Forty-eight hours advance notice will be given to the user.
6. TRI-GID may conduct periodic spot checks of a tester's work using the tester's gage. Also, TRI-GID may require that the tester perform the test in the presence of a TRI-GID representative.
7. The tester shall calibrate, at least annually, all test gauges per NAC 445A.67245. The calibration certification forms must be available at the TRI-GID's request.
8. Both backflow prevention assemblies on a Detector Check assembly shall be tested. Designate the test for the bypass assembly as such on the test form. Read the bypass meter and record it on the test form.

C. Customer Notification: Assembly Installation

1. TRI-GID will notify the water user of the survey findings, listing the corrective actions to be taken if any are required. A period of sixty days will be given to complete all corrective actions required, including installation and testing of approved backflow prevention assemblies or air-gap, unless a written extension is granted.
2. A second notice will be sent to each water user who does not take the required corrective actions prescribed in the first notice within the allowed sixty-day period. The second notice will give the water user a two-week period to take the required correction action. If no action is taken within the two-week period, the TRI-GID may terminate water service to the affected water user until the required corrective actions are taken.

D. Customer Notification: Testing and Maintenance

1. TRI-GID will notify each affected water user when it is time for the backflow prevention assembly, installed on their service connection, to be tested, or the air-gap to be inspected. This written notice shall give the water user thirty days to have the assembly tested or air-gap inspected, and supply the water user with the necessary form to be completed and resubmitted to the TRI-GID.
2. A second notice shall be sent to each water user who does not have the backflow prevention assembly tested or air-gap inspected as prescribed in the first notice within the thirty-day period allowed. The second notice will give the water user a two-week period to have the backflow prevention assembly tested or the air-gap inspected. If no action is taken within the two week period, the TRI-GID may terminate water service to the affected water user until the subject assembly is tested, or air-gap inspected.

12.6 Water Service Termination

A. General

1. When the TRI-GID encounters water users that represent a clear and immediate hazard to the water supply that cannot be immediately abated, the TRI-GID shall implement the procedure for discontinuing TRI-GID water service.



B. Basis for Termination

1. Conditions or water uses that create a basis for water service termination include, but are not limited to, the following items:
  - a) Refusal to install a required backflow prevention assembly or air-gap separation;
  - b) Refusal to test a backflow prevention assembly or inspect an air-gap separation;
  - c) Refusal to repair a faulty backflow prevention assembly;
  - d) Refusal to replace a faulty backflow prevention assembly;
  - e) Direct or indirect connection between the public water system and a sewer line;
  - f) Unprotected direct or indirect connection between the public water system and equipment containing contamination;
  - g) Unprotected direct or indirect connection between the public water system and an auxiliary water system;
  - h) A situation that presents an immediate health hazard to the public water system.

C. Water Service Termination Procedures.

1. For conditions a, b, c, or d or subsection B, TRI-GID will terminate service to a customer's premises after two written notices have been sent specifying the corrective action needed and the time period in which it must be done. If no action is taken within the allotted time period water service may be terminated.
2. For conditions e, f, g, or h or subsection B, TRI-GID will take the following steps:
3. Make a reasonable effort to advise the water user of intent to terminate water service;
4. Terminate the water supply and lock the service valve. The water service will remain inactive until corrections of violations have been approved by TRI-GID.

12.7 Enforcement

The TRI-GID District Manager or his/her designee shall have the authority to enforce this policy.

It is unlawful for any person, firm, or corporation at any time to make or maintain or cause to be made or maintained, temporarily or permanently, for any period of time whatsoever, any cross-connection between plumbing pipes or water fixtures being served with water by TRI-GID water system and any other source of water supply or to maintain any sanitary fixture or other appurtenances or fixtures which, by reason of their construction, may cause or allow backflow of water or other substances into the water supply system of TRI-GID and/or the service of water pipes or fixtures of any customer of TRI-GID.

12.8 Severability

If any section, subsection, subdivision, paragraph, sentence, clause, or phrase of this policy, or any part thereof, is for any reason held to be invalid, such decision shall not affect the validity of the remaining portions of this policy or any part thereof.

## ARTICLE 13. SERVICE AREAS

- 13.1 Intention. The intent of these Rules is to establish rules, regulations and rates for water service supplied hereunder only to areas allowed by TRIGID's service territory for retail service and for wholesale service. No other areas shall be served by TRIGID. Otherwise, TRIGID shall establish the service area, based on its ability to serve and as provided by law and these Rules.
- 13.2 Wholesale Service. TRIGID may enter into an agreement with a person who is a regulated public utility company, a governmental entity authorized by law to provide retail water service, or an accommodator under NRS 704.030 to provide wholesale water service to said person, provided said person provides retail water service outside TRIGID's retail service area in a manner allowed by law.

## ARTICLE 14. DISPUTES, RELIEF, APPEALS, REVIEWS

- 14.1 Relief on Application. When any person by reasons of special circumstances is of the opinion that any provision of these Rules is unjust, inequitable or improper as applied to his premises, he may make written application to the Board stating the special circumstances, citing the provision complained of, and requesting suspension or modification of that provision as applied to his premises. If such application be approved, the Board may suspend or modify the provision complained of, as applied to such premises, to be effective as of the date of the application and continuing during the period of the special circumstances.
- 14.2 Relief on Own Motion. The Board may, on its own motion, find that by reason of special circumstances any provision of these Rules should be suspended or modified as applied to a particular premise and may order such suspension or modification for any such premises during the period of such special circumstances, or any part thereof.
- 14.3 Review by the Board. These Rules shall be reviewed by the Board on a periodic basis to ensure that the provisions of these Rules are kept up to date, and that the charges and fees set out in Articles 4 and 5 are adequate to meet the costs of operating the water facilities and recovering the cost of Capital Outlays.
- 14.4 Adjustment of Complaints. The Board shall have the power of discretion in the interpretation and application of these Rules, including adjustments or rebate of charges, if in the Board's opinion, the intent of the Rules would not be accomplished and an injustice would result by their strict application.
- 14.5 Ruling Final. All rulings of the Board shall be final, unless appealed in writing as provided in this Article within thirty (30) days.
- 14.6 Billing Disputes. Any dispute regarding the payment of any bill, charge or fee demanded by TRIGID is subject to relief and review as provided in this Article 14.
- 14.7 Right to Arbitration. Any request for relief made pursuant to Article 14.1 or other dispute arising from these Rules shall be subject to arbitration, and be decided by arbitration in accordance with the Rules of the American Arbitration Association currently in effect, unless the parties mutually agree otherwise. Notice of demand for arbitration shall be filed in writing with the Board and with the American Arbitration Association.

- 14.8 Limitation on Claim. A demand for arbitration shall be barred unless made within thirty (30) days after the ruling of the Board, and in no event shall it be made after the date when institution of legal or equitable proceedings based on such claim would be barred by the applicable statute of limitations.
- 14.9 Claims and Timely Assertion of Claims. A party who files a notice of demand for arbitration must assert in the demand all claims then known to that party on which arbitration is permitted to be demanded. When a party fails to include a claim through oversight, inadvertence or excusable neglect, or when a claim has not matured or been acquired subsequently, the arbitrator or arbitrators may permit amendment. Otherwise, all unasserted claims are barred.
- 14.10 Judgment on Final Award. The award rendered by the arbitrator or arbitrators shall be binding and final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.

## ARTICLE 15. WATER SERVICE AND WATER RESOURCES

- 15.1 Customer Provision of Water Rights. All water rights necessary for water service to a Customer will be dedicated to TRIGID by Customer, and water rights will be allocated by TRIGID to each of Customer's uses based on the submittal of building plans in sufficient detail to show the water quantities needed, based on dedication amounts established by TRIGID. If actual annual use of water by a Customer as verified by metering exceeds the amount of water rights provided to TRIGID by Customer for water service, Customer shall after notice by TRIGID either dedicate to TRIGID the additional water rights to make up the shortfall, or reduce its water consumption during the next year so as not to exceed in actual usage the amount dedicated. TRIGID reserves the right to discontinue water service to a Customer who by actual usage exceeds the amount of water rights dedicated, if the Customer has in the previous year also exceeded by actual usage the amount of water rights dedicated and after notice by TRIGID has failed to either reduce its water consumption or to dedicate additional water rights to make up the shortfall. In the event Customer uses less water on an annual basis than has been dedicated for Customer's use, Customer shall not be entitled to a refund or rebate of water rights or money for the extra water rights not used by Customer. All water rights dedicated to TRIGID or purchased from TRIGID for any Customer's use shall be the sole asset of TRIGID and Customer shall have no interest therein nor right to any claim of value or use for the unused excess amount of water rights so dedicated.
- 15.2 Will Serve Commitment. Upon provision of adequate water rights to TRIGID's satisfaction, approval of Customer's plans and specifications, and compliance with these Rules, TRIGID will issue to Customer a written will serve commitment for each development use of Customer. Unless Customer is required to build and dedicate water system facilities in accordance with Article 4.3 or Article 10, TRIGID agrees to cause the construction, at its sole cost and expense, of well improvements, water tanks, water lines and other water facilities deemed necessary by TRIGID in order to provide water service to Customer. TRIGID agrees to deliver water to Customer for Customer's beneficial purposes. Customer's shall be obligated: (a) to use the water only on Customer's parcel for beneficial purposes not exceeding the amount of Customer's water rights utilizing conservation measures (and re-use of effluent) as may be required by TRIGID or the Nevada State Engineer; and (b) to use water conservation devices such as in-line aerators and flow restrictors, landscaping adapted to the desert environment, and best available water management practices. The use of any ground water or surface water (other than water provided by TRIGID) within the service area of TRIGID without TRIGID's consent is prohibited. In addition, no Customer shall without TRIGID's consent apply for, contract to use or own, or hold water rights subject to a permit issued by the Nevada State Engineer or a claim from the Orr Ditch Decree (U.S. vs. Orr Ditch Co., et. al, Equity Docket No. A-3, in the District Court of the United States in and for the District of Nevada), which permit or claim has a point of diversion or a place of use on any portion of the real property located in Storey County or Lyon County formerly known as the Asamera Ranch, or known as the Tahoe-Reno Industrial Center or in TRIGID's retail or wholesale service area.

- 15.3 Nonpotable Water. The parties acknowledge that water irrigation lines for use of untreated surface water or sanitary sewer effluent will be installed as part of TRIGID water system in certain areas of TRIGID's service area, and Customer shall be required to construct a separately metered water irrigation system for landscaping (and any other use for which nonpotable water can be used) which will allow the use of nonpotable water in those areas in which nonpotable water is made available by TRIGID or off-site nonpotable water facilities are installed for future Customer service. The parties intend that, if available and economically feasible, nonpotable water shall be used for all irrigation purposes (and other nonpotable water uses) possible in the service area, as determined by TRIGID in its sole discretion.